| 9 | |
|----|--|
| 15 | |
| `≘ | |

| Ň | UTILITY Attorney Docket No. | | 196824U | 80 | 96 | | |
|---|--|--|---------------|---|---------|--|--|
| | PATENT APPLICATION TRANSMITTAL | | | Yasuyuki SUSA | Ç, | | |
| | for new nonprovisional applications under 37 CFR 1 53(b)) | Title A COMPOSITION | ON FOR F | FOOD PROCESSING | | | |
| 2 | 1 | | | | | | |
| | APPLICATION ELEMENT See MPEP chapter 600 concerning utility patent a | TS application contents | ADDRES | Assistant Commissioner for Patents Box Patent Application Washington, DC 20231 | | | |
| 1. | Fee Transmittal Form (e.g. PTO/SI (Submit an original and a duplicate for fee p | B/17) rocessing) | | ACCOMPANYING APPLICATION PARTS | | | |
| | | | 6. 🍱 | Assignment Papers (cover sheet & document | | | |
| 2. | ■ Specification Total | Pages 20 | 7. 🗆 | 37 C.F.R. §3.73(b) Statement Dower of A (when there is an assignee) | ttorney | | |
| | | | 8. 🗆 | English Translation Document (if applicable) | | | |
| 3. | □ Drawing(s) (35 U.S.C. 113) Total | Sheets | 9. 🗆 | Information Disclosure Statement (IDS)/PTO-1449 Copies of I | DS | | |
| | | | 10. 🗆 | Preliminary Amendment | | | |
| 4. | | Pages 4 | 11. | White Advance Serial No. Postcard | | | |
| 1 | a. Newly executed (original or c b. Copy from a prior application (for continuation/divisional with box 1 | | 12. 🗆 | Small Entity Statement(s) Statement filed in prior application. Status still pand desired. | roper | | |
| | DELETION OF INVENT Signed statement attached de in the prior application, see 37 | | 13. | Certified Copy of Priority Document(s) (if foreign priority is claimed) | | | |
| 1 | in the prior application, see 37 1 33(b) | C F.R. §1 63(d)(2) and | 14. | Other: REQUEST FOR PRIORITY | | | |
| 5. | ☐ Incorporation By Reference (usable The entire disclosure of the pnor application, oath or declaration is supplied under Box 4B of the disclosure of the accompanying applic incorporated by reference therein. | f box 4B is checked) from which a copy of the i, is considered to be part ation and is hereby | | | | | |
| 15. | If a CONTINUING APPLICATION, check | appropriate box, and supp | ly the requis | ite information below: | | | |
| 1 | □ Continuation □ Divisional | □ Continuation-i | in-part (CI | P) of prior application no.: | | | |
| . / | Prior application information: Examine | er. | | Group Art Unit: | | | |
| 6. Amend the specification by inserting before the first line the sentence: □ This application is a □ Continuation □ Division □ Continuation-in-part (CIP) of application Serial No. Filed on | | | | | | | |
| 01 | ☐ This application claims priority of provisional application Serial No. Filled | | | | | | |
| | | 17. CORRESPONDE | NCE AD | DRESS | | | |
| | | | | | | | |

| Name: | Norman F. Oblon | Registration No. | 24,618 |
|------------|--------------------------|------------------|---------|
| Signature: | Dalfin | Date | 9/15/00 |
| Name: | Daniel J. Pereira, Ph.D. | Registration No. | 45,518 |

22850 (703) 413-3000 FACSIMILE: (703) 413-2220 Docket No.

196824US0

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

INVENTOR(S) YASUYUKI SUSA ET AL

SERIAL NO: New Application

FILING DATE: Herewith

FOR: A COMPOSITION FOR FOOD PROCESSING

FEE TRANSMITTAL

ASSISTANT COMMISSIONER FOR PATENTS WASHINGTON, D.C. 20231

| FOR | NUMBER FILED | NUMBER EXTRA | RATE | CALCULATIONS |
|----------------------------------|------------------------------|-----------------|-----------|--------------|
| TOTAL CLAIMS | 22 - 20 = | 2 | × \$18 = | \$36.00 |
| INDEPENDENT CLAIMS | 2 - 3 = | 0 | × \$78 = | \$0.00 |
| □ MULTIPLE DEPENDE | NT CLAIMS (If app | olicable) | + \$260 = | \$0.00 |
| □ LATE FILING OF DEC | □ LATE FILING OF DECLARATION | | | \$0.00 |
| | | | BASIC FEE | \$690.00 |
| | TOTAL OF AB | OVE CALC | ULATIONS | \$726.00 |
| □ REDUCTION BY 50% I | TY | \$0.00 | | |
| □ FILING IN NON-ENGLISH LANGUAGE | | | + \$130 = | \$0.00 |
| ■ RECORDATION OF AS | SIGNMENT | | + \$40 = | \$40.00 |
| | | | TOTAL | \$766.00 |

Please charge Deposit Account No. 15-0030 in the amount of

A duplicate copy of this sheet is enclosed.

A check in the amount of

\$766.00

to cover the filing fee is enclosed.

The Commissioner is hereby authorized to charge any additional fees which may be required for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Norman F./Oblon

Registration No. 24,618

Daniel J. Pereira, Ph.D. Registration No. 45,518

22850

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 11/98)

5

TITLE OF THE INVENTION

A COMPOSITION FOR FOOD PROCESSING

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a composition which can be used as a salting agent for preparation of processed meat products such as ham, bacon and roast pork where the composition contains transglutaminase and a compound which suppresses the activity of transglutaminase. In addition, the present invention relates to a pickle solution containing the composition wherein the viscosity of a protein-containing pickle does not significantly increase when the transglutaminase is added to the pickle. Therefore, the quality of processed meat products such as ham, bacon and roast pork which are produced with the pickle are significantly improved.

DESCRIPTION OF THE RELATED ART

A curing step for permeating and dispersing a salting agent into raw meat materials is usually required for manufacturing processed meat products such as ham and bacon. These methods include a dry-curing method, a pickle curing method, and a pickle-injection method. The pickle curing method and the pickle-injection method are generally the most effective.

The pickles typically are a solution of a salting agent which is made up of sodium chloride and color-fixing agents. Additionally, polyphosphate and ascorbic acids are added

5

to the pickle to improve the yield, water holding capacity, binding capacity and color-fixing ability and the like. Pickles also often contain seasonings, preservatives and additional color-fixing agents.

Pickles are often blended with various protein materials, e.g., egg white, whey protein, caseins such as sodium casein or soy bean protein, for the purpose of improving water retentivity, emulsification, food taste and texture, e.g., firmness, elasticity and bindability.

In addition, transglutaminase (hereinafter abbreviated as TGase) may be added to improve food taste, food texture and increasing slice yield (sliceability). TGase reacts with proteins in the pickle and with the proteins in the meat when the pickle permeates or is injected into the meat, which remarkably improves the physical properties of the resulting final product. Since TGase effect is more pronounced in the presence of higher amounts of protein, the presence of TGase is highly important for pickles containing high amounts of protein materials. However, when TGase is used in increasing amounts with the higher concentrations of protein materials, the viscosity of the resulting pickle significantly increases.

Generally the pickle is left to stand in a low-temperature stock chamber for one to four days after preparation and before use, to insure that any powdery materials including protein materials are fully dissolved and to allow any bubbles or foam which are present to dissipate. TGase is often supplied as a powder and therefore is dissolved into the pickle with the protein materials. However, during this resting period the TGase which is added to the pickle, crosslinks and polymerizes the protein contained in the pickle thereby increasing the viscosity of the resulting pickle solution. This increase in viscosity makes subsequent use of the pickle difficult and if the method of producing the meat involves injection, makes the procedure almost impossible to conduct. There have been several attempts to modify the

pickle containing TGase to avoid the increased viscosity.

Japanese Patent Application Laid-open Nos. 255426/1995 and 56303/1999 report techniques for suppressing the increase of pickle viscosity caused by TGase. The techniques involve controlling the quantities of caseins and soy bean protein which are highly reactive with TGase or using protein partial hydrolysates. These techniques suppress the viscosity increase with no influence on TGase activity, by reducing the effective TGase substrate concentration or by using proteins that are less susceptible to TGase action, e.g., protein partial hydrolysates. However, when the protein component of the pickle is changed the original purposes of the protein, such as imparting physical properties and water-holding capacity to the processed meat products, are significantly lower compared with the original types of proteins. This results in the undesirable property of poor elasticity and significant water release from the resulting product. When protein partial hydrolysates are used, the viscosity can be maintained for approximately one day, but is often not sufficiently suppressed during a longer term of storage. Since caseins and soy bean protein are used only in the form of their partial hydrolysates, the creation of diverse food taste, food texture and/or quality based on devised blending of various protein materials is greatly restricted. Thus, pickles containing TGase are limited when the TGase is used with lower amounts of protein. In addition, the pickles must be used within one day and the remaining unused portion is discarded.

5

SUMMARY OF THE INVENTION

On the background of the conventional techniques described above, it is an object of the present invention to provide a salting agent without any of the aforementioned disadvantages even after the salting agent is blended with TGase and with no need of any modification or treatment of protein materials added to the pickle.

The present inventors have investigated a solution to the aforementioned problems and have found to suppress the reaction by TGase in a pickle is accomplished by adding a TGase suppressing compound. This results in the ability to regulate TGase activity and allows maintenance of a low viscosity pickle. Thus, the present invention has been achieved.

The invention is essentially different from the conventional techniques by controlling the TGase activity whereby TGase can be added to pickle without modification to the preferable compounds of the pickle which would otherwise not be possible.

The present invention further provides a salting agent for meat processing, which comprises TGase and a compound which suppresses TGase activity; a pickle containing the salting agent; methods of making a processed meat using the salting agent and/or pickle; and the processed meats so obtained.

DETAILED DESCRIPTION OF THE INVENTION

TGases are divided into calcium-independent and calcium-dependent types. Either can be used in the present invention. Examples of the former include those derived from microorganisms such as Actinomycetes, Bacillus subtilis and the like (see, for example, JP-A-64-27471). Examples of the latter include those derived from guinea pig liver (see, for example, JP-B-1-50382), those derived from microorganisms such as Oomycetes, those derived from animals such as bovine blood, swine blood and the like, those derived from fish

nonstart organo

5

such as salmon, red sea bream and the like (see, for example, Seki Nobuo et al., Nippon Suisan Gakkaishi, vol. 56, pp. 125-132 (1990), and Proceedings of Nippon Fisheries Science Association, Congress in Spring, 1990, page 219), Factor XIII present in blood (WO 93/15234), those derived from oysters, and other TGases. Also, TGases produced by methods of genetic engineering (see, for example, JP-A-1-300889, JP-A-6-225775, JP-A-7-23737 and EP-0693556A) can be used in the present invention. In accordance with the present invention, any of these TGases can be used, with no specific limitation of the origin and the preparation method. However, in view of the function and the economics in the food applications the calcium-independent TGases are preferable. For example, the TGases derived from the microorganisms (JP-A-64-27471 mentioned above) meet all conditions, and are preferred.

The terms "suppress", "suppression", and "suppressing" as used within the present specification and claims are understood to mean any reduction of TGase activity in the presence of the TGase suppressing compound compared to the TGase activity in the absence of the same compound. It is further understood that the level of "suppression" will vary depending on the amount of TGase present and the concentration of the suppressing compound. The compound which can suppress TGase activity includes those which can reversibly inhibit TGase. Examples of such compounds include inorganic or organic ammonium salts. Preferably, inorganic ammonium salts are used. Examples of such inorganic ammonium salts include ammonium chloride, ammonium carbonate, ammonium hydrogen carbonate, ammonium aluminum sulfate, ammonium persulfate, ammonium sulfate, diammonium hydrogen phosphate, and ammonium dihydrogen phosphate. Organic ammonium salts include for example ammonium citrate. Anserine, carnosine and balenine, which can control certain physical properties of surimi (fish paste) products can also be used

5

as the suppressing compound. The compounds can be used singly or in combination of two or more.

The suppressing compound is selected based on the kind of the protein used and the amount of TGase added to the pickle because each compound has its own ability to suppress TGase activity based on the total weight of the protein. Preferably, ammonium chloride is used because it is commonly used as a seasoning, as a baking powder in premix, is approved as an enzyme stabilizer, and because it is very inexpensive.

When TGase suppression is within a pickle, the amount of the compound added to the pickle may be high. The compound is added in an amount suitable to inhibit TGase activity to such an extent that the increase of the viscosity of the resulting pickle is sufficiently suppressed but not to substantially reduce the effect of TGase in the final food product because after introduction into the meat, the effective concentration of the suppressing compound is less and thus has a lower suppression effect. The optimum amount of the suppressing compound may vary, depending on the amount of TGase added, suppressing effect of the suppressing compound, the protein composition in the pickle used, the level of viscosity suppression required, and the overall conditions for the meat production.

The amount of the suppressing compound is in an amount greater than 0.001 mol/liter, preferably greater than 0.002 mol/liter, which is suitable to suppress TGase activity and pickle viscosity. When ammonium salt is used as the suppressing compound, if the concentration exceeds 0.2 mol/liter, the requisite TGase activity in the meat product is not attained. Therefore, when ammonium salts are used as the suppressing compound, the ammonium salt concentration is preferably below 0.1 mol/liter.

The amount of TGase to be added to pickle varies depending on the pickle injection ratio, and the level of TGase activity which is required. Generally, TGase is used at a

5

concentration within a range of 20 U to 1,000 U/liter in a pickle. This includes 40, 60, 80, 100, 150, 250, 300, 400, 500, 600, 700, 800, 900 and all values and subranges there between

The activity of TGase and the activity units thereof can be assayed and defined by the following method. More specifically, TGase activity is tested in a reaction containing the substrates benzyloxycarbonyl-L-glutamylglycine and hydroxylamine in Tris buffer, pH 6.0, at a temperature of 37°C; where the hydroxamic acid formed is modified into an iron complex in the presence of trichloroacetic acid. The absorbance of this reaction is measured at 525 nm and the amount of hydroxamic acid formed is calculated from a standard curve. The enzyme producing l µmol hydroxamic acid per minute is defined as one unit (1 U) of TGase activity (see Japanese Patent Laid-open No. 27471/1989 and U.S. Patent No. 5,156,956; the entire contents of which are incorporated herein by reference).

Because the preparation according to the present invention is an enzyme preparation of TGase with an ammonium salt in mixture, the ratio of the ammonium salt and TGase blended in the enzyme preparation is within a range simultaneously satisfying the individual concentrations when added to a pickle. For example, 20 U/liter of TGase blended with 0.2 mol/liter of an ammonium salt in pickle corresponds to a 10 moles of ammonium salts per 1,000 U of TGase in the preparation; and 1,000 U/liter of TGase blended with 0.001 mol/liter of an ammonium salt in the pickle corresponds to 0.001 mole of ammonium salts per 1,000 U TGase in the preparation. Thus, the enzyme preparation according to the present invention contains at least these two ingredients, the ammonium salt being blended from 0.001 mole to 10 moles, preferably 0.002 mole to 5 moles, per 1,000 U of TGase. When shown in terms of the weight ration to TGase, the ammonium salt is in an amount of from 0.02 mole to 200 moles, preferably 0.04 mole to 100 moles per gram of the pure enzyme protein.

5

Any type of protein materials generally employed in pickles can be used. Examples of such proteins include soy bean protein, caseins, egg white, whey protein, gelatin, collagen and plasma protein because the proteins themselves doe not result in an increased pickle viscosity.

To make a pickle solution, the composition contains TGasae and TGase suppressing compound is dissolved in cold water along with protein materials and sodium chloride which is generally used. Following the initial dissolution stage of making the pickle solution, the pickle solution contains foam which deteriorates the quality of the final product. Therefore, the foam can be removed by vacuum or by leaving the pickle in cold storage for at least one night. The pickle solution can then be injected into the raw meat material using a pickle injector as is known in the art. The pickle can also be introduced into the pcike by immersing the raw meat material in the pickle. Afterwards, the meat is tumbled and the pickle is dispersed uniformly in the meat.

The application of the composition of TGase and TGase suppressing compound according to the present invention is not limited to the manufacture of meat products. The composition can also be used in the general applications other than meat products in which a solution comprising TGase and protein materials is injected into raw food materials.

Having generally described this invention, a further understanding can be obtained by reference to certain specific examples which are provided herein for purposes of illustration only, and are not intended to be limiting unless otherwise specified.

EXAMPLES

"Activa TG" (1,000 U/g; manufactured by Ajinomoto, Co. containing as the major ingredient TGase derived from genus Streptoverticillium (Streptoverticillium mobaraense IFO 13819) was used as the TGase in the examples.

5 Example 1: Effects of TGase suppressing compound on the viscosity of a pickle containing TGase and the assessment of a processed meat using the pickle

A stock pickle solution of the composition shown in Table 1 was prepared by the following process. Water cooled at 5°C was put into a mixing chamber and the protein materials were dissolved and mixed, followed by the other ingredients listed in the table. To the stock pickle solution "Activa TG" was added to the pickle in the final concentrations of: (1) 0%; (2) 0.005%; (3) 0.010%; (4) 0.015%; or (5) 0.020% as shown in Table 2. In separate preparations the amount of ""Activa TG" added was fixed at 0.020% and ammonium chloride was added to the following concentrations: (6) 0.002 mol/liter; (7) 0.02 mol/liter: and (8) 0.2 mol/liter (Table 2).

10

Table 1. Pickle solution

| Ingredients | Concentration (%) |
|------------------------------|-------------------|
| Soy bean protein for ham | 4 |
| Sodium casein | 1.5 |
| Egg white | 2 |
| Whey protein | 1.5 |
| Sodium chloride | 4 |
| Sodium nitrite | 0.03 |
| Polymerized phosphate (salt) | 0.6 |
| Ascorbic acid | 0.2 |
| Dextrin | 7.5 |
| Sugar | 0.7 |
| Glutamate Na | 0.3 |
| Water | 77.67 |
| Total | 100 |

Table 2. TGase and TGase suppressing compounds in pickle solutions

| Experimental groups | TGase (U/liter) | NH₄Cl (mol/liter) | Anserine (mol/liter) | Carnosine (mol/liter) |
|---------------------|--------------------|----------------------|-------------------------|--------------------------|
| (1) | 0 | 0 | - | - |
| (2) | 50 | 0 | - | - |
| (3) | 100 | 0 | - | - |
| (4) | 150 | 0 | - | - |
| (5) | 200 | 0 | - | - |
| (6) | 200 | 0.002 | - | - |
| (7) | 200 | 0.02 | - | - |
| (8) | 200 | 0.2 | - | - |
| (9) | 200 | - | 0.2 | - |
| (10) | 200 | - | - | 0.2 |

The pickle samples were left to stand in a low-temperature chamber at 5 °C; and the viscosity was measured over time. The change of the pickle viscosity over time was measured with a Type B viscometer with a No. 2 rotor at 30 rpm.

In separate tests, 100 parts of each pickle samples after one day were added to 100 parts of minced meat prepared by finely chopping and cutting pork loin through a 5-mm-sieve plate; mixing with a Stefan cutter for 3 minutes and filling in a fibrous casing (ϕ 90 mm). The ham was dried and aged in a smoke chamber at 60 °C for 120 minutes, then smoked at 60 °C for 60 minutes, and finally steam boiled at 75 °C for 120 minutes. The breaking strength of the model ham wasmeasured with a plunger of ϕ 5 mm at 6 cm/min. The quality of the ham was also assessed. The results are collectively shown in Table 3.

5

10

Table 3. Pickle viscosity, physical properties and quality assessment of the model ham

| | Pickle viscosity (| cP) at 5°C | Breaking strength | Quality assessment of | | |
|---------------------|-------------------------------------|------------------|----------------------|--------------------------|-------------------------------|-------------------|
| Experimental groups | Immediately after preparation | one day later | 2 days later | 3 days later | of the model ham (gram) | the model ham* |
| (1) | 29 | 30 | 32 | 34 | 537 | х |
| (2) | 31 | 35 | 41 | 83 | 599 | Х |
| (3) | 30 | 94 | 125 | 444 | 680 | Δ |
| (4) | 32 | 74 | 153 | 808 | 733 | 0 |
| (5) | 27 | 114 | 317 | 3855 | 773 | 0 |
| (6) | 26 | 52 | 110 | 312 | 770 | 0 |
| (7) | 31 | 44 | 66 | 95 | 752 | 0 |
| (8) | 30 | 31 | 36 | 45 | 686 | Δ |
| (9) | 31 | 41 | 58 | 87 | 722 | 0 |
| (10) | 31 | 42 | 56 | 90 | 734 | 0 |

*: Effect of the TGase on firmness of the ham

X : insufficient;

Δ : slightly insufficient; and

: sufficient.

O : s Pickle viscosity:

There was little change in viscosity when no TGase was added to the pickle (group (1)). However, as the amount of added "Activa TG" increased, the pickle viscosity also increased (Experimental groups (2) to (5)). In particular, noting in Experimental group (5), which contains 0.02 % ""Activa TG", the viscosity was above 3,000 cP on day 3. This pickle could not be used in the preparation of meat products. In contrast, the increase of the viscosity was significantly suppressed in the ammonium chloride groups (Experimental groups (6) to (8)). Additionally, the viscosity increased less as the amount of ammonium chloride was added increased and similarly in the pickle solutions having anserine

(Experimental group (9)) and carnosine (Experimental group (10)).

Breaking strength of the model ham

The break strength of the model ham increased as the amount of "Activa TG" increased, indicating the enhancement of the firmness and elasticity as food taste and texture (see Experimental group (5)). In contrast, the break strength slightly decreased in the ammonium chloride groups as the amount of ammonium chloride was increased (Experimental groups (6) to (8)). However, in relation to positive effects gained in pickle viscosity the decrease in break strength is not considered to be significant. Similar results were obtained when anserine and carnosine were used (Experimental groups (9) and (10)). These results indicated that while the TGase activity was inhibited in the pickle, the TGase activity was restored upon addition to the ham.

Example 2: Preparation of salting agent for meat products

One existing enzyme preparation and three enzyme preparations for meat products in accordance with the present invention were prepared according to the recipes A, B, C and D in Table 4. "Activa TG" was used as the TGase; and ammonium chloride commercially available as a food additive was used.

5

Table 4. Salting agent

| Preparations | Activa TG* (gram) | NH ₄ Cl (gram) | Lactose (gram) | Total (gram) |
|--------------|----------------------|------------------------------|-------------------|-----------------|
| A | 10 | 0 | 90 | 100 |
| В | 10 | 5.25 | 84.75 | 100 |
| С | 10 | 52.5 | 37.5 | 100 |
| D | 1 | 52.5 | 45.5 | 100 |

^{* 1} gram Activa TG corresponds to 1,000 U TGase activity/g.

To the pickle of the composition made in Example 1 (Table 1), the preparations in Table 4 were added in the following amounts: (1) No addition; (2) Preparation A at 0.2 %; (3) Preparation B at 0.2 %; (4) Preparation C at 0.2 %; and (5) Preparation D at 2.0 %. The TGase concentration was constant in all the experimental groups (2) to (5). The change of the viscosity of the pickle was measured over time. The viscosity results are shown in Table 5.

Roast ham was prepared concurrently with these pickle samples one day after making the pickle. The roast ham was prepared from a raw pork loin in a conventional manner.

The pickle was injected into pork loin using a pickle injector. The pickle injection ratio was 100 % by weight to the raw material meat, and then tumbling was carried out overnight at 5 °C. The tumbled meat was filled in a fibrous casing with a folding width of 11 cm and was cooked. Cooking conditions were 60°C for 2 hours for drying, 60°C for 1 hour for smoking, and 75°C for 2 hours for steam boiling. The ham was sliced into pieces of 2-mm thickness. The food taste and texture were evaluated and the results are shown in Table 6.

Table 5. Pickle viscosity

| | | Amount added to | added to pickle | | Pickle viscosity in cP at 5 °C | | | |
|---------------------|--------------|--------------------|---------------------|------------------------------------|-------------------------------------|------------------|-----------------|-----------------|
| Experimental groups | Preparations | pickle | TGase in U/liter | NH ₄ Cl in mol/liter | Immediately after preparation | one day later | 2 days later | 3 days later |
| 1 | - | - | 0 | 0 | 32 | 32 | 33 | 32 |
| 2 | A | 0.2% | 200 | 0 | 33 | 130 | 358 | 4500 |
| 3 | В | 0.2% | 200 | 0.002 | 34 | 66 | 131 | 364 |
| 4 | С | 0.2% | 200 | 0.02 | 30 | 46 | 71 | 102 |
| 5 | D | 2.0% | 200 | 0.2 | 29 | 33 | 38 | 54 |

Table 6. Sensory evaluation of roast ham

| Experimental groups | | Quality assessment* |
|---------------------|---|---------------------|
| (1) | Soft with insufficient firmness | X |
| (2) | Good firmness | 0 |
| (3) | Good firmness at the same level as in (2) | 0 |
| (4) | Good firmness at the same level as in (2) | 0 |
| (5) | Slightly softer than (2) but with sufficient firmness | Δ-0 |

*Effect of the TG on firmness

X: insufficient;

Δ: slightly poor; and

O: sufficient/Good.

20 Pickle viscosity:

The viscosity increase in the pickle of group (2) with the addition of the Preparation A with no content of ammonium chloride was very rapid. In contrast, the viscosity increase was remarkably suppressed in the pickle of groups (3), (4) and (5) with the addition of the

5

Preparations B, C and D, respectively, each containing ammonium chloride. Furthermore, a higher viscosity suppression was observed in Preparation C which contained a higher concentration of ammonium chloride. Compared with the no addition group (1), the effect of TGase on the physical properties of ham was almost at the same level in the three experimental groups (2), (3) and (4). Compared with the group (2), the group (5) was slightly less firm, but the preparation of the group (5) sometimes serves as an effective blend for when no increase in pickle viscosity can be tolerated.

Advantages of the Invention

When a composition for food processing which contains TGase and a compound suppressing TGase activity is used in pickle, the increase in the viscosity of the pickle can be markedly suppressed, with little or no influence on the action of TGase and the resulting taste and texture of the final food product.

The present application is based on the Japanese priority application JP 263479 filed September 17, 1999, which is herein incorporated in its entirety by reference.

Obviously, numerous modifications and variations on the present invention are possible in light of the above teachings. It is therefore to be understood that within the scope of the appended claims, the invention may be practiced otherwise than as specifically described herein.

5

CLAIMS

A composition comprising at least one transglutaminase and at least one compound which can suppress transglutaminase activity.

- The composition of Claim 1, wherein said compound is an organic salt or inorganic salt.
 - 3. The composition of Claim 1, wherein said compound is anserine or carnosine.
 - 4. The composition of Claim 1, wherein said compound is an ammonium salt.
 - 5. The composition of Claim 4, wherein said ammonium salt is selected from the group consisting of ammonium chloride, ammonium carbonate, ammonium hydrogen carbonate, ammonium aluminum sulfate, ammonium iron citrate, ammonium persulfate, ammonium sulfate, diammonium hydrogen phosphate and ammonium dihydrogen phosphate.
 - 6. The composition of Claim 5, wherein said ammonium salt is ammonium chloride.
 - /7. A pickle solution comprising at least one protein, at least one transglutaminase, at least one compound which can suppress transglutaminase activity, and water.
- The pickle solution of Claim 7, wherein said compound is an organic salt or inorganic salt.

5

- 9. The pickle solution of Claim 7, wherein said compound is anserine or carnosine.
- 10. The pickle solution of Claim 7, wherein said compound is an ammonium salt.
- 11. The pickle solution of Claim 10, wherein said ammonium salt is selected from the group consisting of aunmonium chloride, ammonium carbonate, ammonium hydrogen carbonate, ammonium aluminum sulfate, ammonium iron citrate, ammonium persulfate, ammonium sulfate, diammonium hydrogen phosphate and ammonium dihydrogen phosphate.
- The pickle solution of Claim 11, wherein said ammonium salt is ammonium chloride.
- 13. The pickle solution of Claim 7, wherein said transglutaminase is in an amount from 20U to 1,000 U/liter of pickle solution.
- 14. The pickle solution of Claim 10, wherein the ammonium salt is in an amount of from 0.001 mol/liter to 0.2 mol/liter.
- 15. The pickle solution of Claim 11, wherein the ammonium salt is in an amount of from 0.001 mo/liter to 0.1 mol/liter.
- 16. The pickle solution of Claim 7, wherein said protein is selected from the group consisting of soybean protein, casein, egg white protein, whey protein, gelatin, collagen and plasma protein.

17. A method of making the pickle solution of Claim 7, comprising: mixing the protein, and the compound which suppresses the activity of transglutaminase in water; and

adding the transglutaminse.

- 18. The method of Claim 17, wherein after said adding, the pickle solution is stored for a period of one to four days.
- 19. A method of making a processed meat comprising adding the pickle solution of Claim 7 to a meat.
- The method of Claim 19, wherein said adding comprises immersing the meat into said pickle solution.
- The method of Claim 19, wherein said adding comprises injecting said pickle into said meat.
 - 22. A processed meat obtained by the process of Claim 19.

ABSTRACT OF THE DISCLOSURE

The present invention provides a composition having protein, transglutaminase and a transglutaminase suppressing compound which is useful in the preparation of pickle solutions and in methods of making processed meat products with the pickle solution.

5 I:\user\DJPER\196824US-pa.wpd

DOCKET NO.: 196824USO

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

| 下記の氏名の発明者として、私は以下の通り宣言します。 | As a below named inventor, I hereby declare that: |
|---|---|
| 私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。 | My residence, post office address and citizenship are as state next to my name. |
| 下記の名称の発明に関して溺求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者(下記の氏名が一つの場合)もしくは最初かつ共同発明者(下記の名称が複数の場合)であると信じています。 | I believe I am the original, first and sole inventor (if only on name is listed below) or an original, first and joint inventor (piural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled. A COMPOSITION FOR FOOD PROCESSING |
| 上記簿朝の明翻書は、 □ | the specification of which is attached hereto. was filed on as United States Application Number or PCT International Application Number and was amended on (if applicable). Attorney Docket No.: 196824USO |
| 私は、特許請求範囲を含む上記訂正後の明細書を依附し、内容 を理解していることをここに表明します。 | I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. |
| 私は、連邦規則法典第37關第1条56項に定義されるとおり、特計 資格の有無について重要な情報を開示する義務があることを認 めます。 | I acknowledge the duty to disclose information which is materia to patentability as defined in Title 37, Code of Federa Regulations, Section 1.56. |
| Page 1 | of <u>4</u> |

Japanese Language Declaration (日本語宣言會)

Prior Foreign Application(s)
外国での先行出限
263479/1999 Japan
(Number) (Country) (関令)
(Number) (Country) (国名)

私は、第35編米国法典119条 (e) 項に基づいて下記の米国特許 出願規定に記載された権利をここに主張いたします。

河 (Application No.) 二 (出願番号)

(出層番号)

(Filing Date) (出版日)

(出願日)

整は、下記の外間法典第35届120条に基づいて下記の米国特許 出際に記載された権利、又は米国を指定している特許協力条約 365差。(c) に基づく権利をここに主張します。また、本出版の各 諸坪範囲の内容が米国法典第36億112条即1辺又は特許協力条約で 別案された方法で先行する米国特計出版に開示されていない限 りしるの先行※国出版書提出日以降で本出版書の日本国内また は権許協力条約国際法出日よでの期間中に入事された、迎那規 則法典第37編1条56項で定義された特許資格の有無に関する意要

| (Application No.) | (Filing Date) |
|-------------------|---------------|
| (出願番号) | (出願日) |
| (Application No.) | (Filing Date) |

な情報について開示義務があることを認識しています。

私は、私自信の知識に基づいて本宣言書中で私が行なう表明が 真実であり、かつ私の入平した情報と私の信じるところに基づ く表明が全て真実であると信じていること、さらに故意になさ れた雌偽の表明及びそれと同等の行為は米園法臭類18編第1001 条に基づる、罰金または物禁、もしくはその両方により処罰され ること、そしてそのような故意による雄偽の声明を行なえば、 出勤した、又は既に許可された特許の有効性が失われることを 認勤し、よつてここに上記のことく食蓄を致します。 I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or [nventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

| | | Priority Clairned 優先權主張 | |
|-----------------------------------|-----------|----------------------------|--|
| 17 September 1999 | X | | |
| (Day/Month/Year Filed) (出版年月日) | Yes はい | No いいえ | |
| (Day/Month/Year Filed) | ☐ Yes | □ No | |
| (出願年月日) | はい | いいえ | |

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.) (Filing Date) (出版音号) (出版日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37. Code of Federal Regulators, Section 1.56 which became available between the filling date of the prior application and the national or PCT International filling date of application.

(Status: Patented, Pending, Abandoned) (現況:特許許可濟、係屬中、放棄済)

(Status: Patented, Pending, Abandoned) (現況:特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Page 2 of _4

Japanese Language Declaration (日本語宣言者)

委任状、私は下配の発明者として、本出願に関する一切の手続き を米特許商標局に対して遂行する弁理士または代理人として、 下記の者を指名いたします。 (弁穫士、または代理人の指名及び登録番号を明記のこと)

(第三以降の共同発明者についても同様に記載し、署名すること)

春類送付先

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C. FOURTH FLOOR

(Supply similar information and signature for third and subsequent

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,918; C. Irvin McCielland, Reg. No. 21,124; Gregory J. Maler, Reg. No. 26,669; Arthur I. Neustradt, Reg. No. 24,654; Richard D. Keily, Reg. No. 27,757; Jarriero D. Harniton, Reg. No. 23,421; Exhlard H. Klassters, Reg. No. 26,870; Robert T. Pous, Reg. No. 26,869; Robert R. Gaussi, Reg. No. 27,265; Jean-Paul Lavelleye, Reg. No. 31,451; Ssphen G. Baxter, Reg. No. 32,864; Robert W. Harl, Reg. No. 33,638; Richard L. Treanor, Reg. No. 36,795; Steven F. Weilmouch, Reg. No. 34,645; Ssphen G. Baxter, Reg. No. 34,646; Reg. No. 34,636; Article Reg. No. 34,636; Ar

Send Correspondence to:

| 直接電話連絡先: (名前及び電話番号) □ | Direct Telephone Calls to: (name and telephone number) (703) 413-3000 | |
|---|--|--|
| 単独発明者または第一の共同発明者の氏名 | Full name of sole or first joint inventor Yasuyuki. SUSA | |
| 海關者の聯名 日付 2000, 9、13 | Inventor's signature Date YASUYUKÌ SUSA 2000, 9 13. | |
| 四河湖南川山荒三石瓜木町1-1 | Residence Kawasaki-shi, Kanagawa-ken, Japan | |
| 日本 | Citizenship Japan | |
| 郷便の宛先 しま、奈(4年) ねるのみぞとり | Post Office Address C/O Food Research & Developme Laboratories, Ajinomoto Co., Inc. | |
| 76年114.1114中711時2分本1111-1 | No. 1-1, Suzuki-cho, Kawasaki-ku Kawasaki-shi, Kanagawa-ken, Japan | |
| 第二の共同発明者の氏名 中全化 社会47 | Full name of second joint inventor, if any Hiroyuki NAKAGOSHI | |
| 第二の共同発明者の署名 日付 中主系 社会州子 2000年 9月13日 | Second joint Inventor's signature Date | |
| 川战市川岭下区较木町1一 | Residence Kawasaki-shi, Kanagawa-ken, Japan | |
| 国籍 日本 | Citizenship Japan | |
| 郵便の宛先 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・ | Post Office Address C/O Food Research & Developmentaboratories, Ajinomoto Co., Inc. | |
| 神岳川县川崎市川崎区鈴木町1-1 | No. 1-1, Suzuki-cho, Kawasaki-ku Kawasaki-shi, Kanagawa-ken, Japan | |

ioint inventors.)

Japanese Language Declaration (日本語宣言書)

| 第三の共同発明者の氏名 七万 口 丁 = | Full name of third joint inventor, if any Sho11 SAKAGUCHI |
|---------------------------------|--|
| 第三の共同発明者の署名七人口 正二 日付 2000年9月13日 | Third joint by untor's signature April 2000 |
| 在所神奈川县川崎下川崎区发木町 (a) | Residence' <u>Kewasaki-shi, Kanagawa-ken, Japan</u> |
| 国親 日本 | Citizenship Japan |
| 那個の現地 科奈川県川崎市川崎区鈴村町 | Post Office Address C/O Food Research & Developme Laboratories, Ajinomoto Co., INc. |
| 10/ | No. 1-1, Suzuki-cho, Kawasaki-ku Kawasaki-shi, Kanagawa-ken, Japan |

| 第四の共同発明者の氏名 | | Full name of fourth joint inventor, if any | |
|-------------|----|--|------|
| 第四の共同発明者の署名 | 目付 | Fourth joint Inventor's signature | Date |
| 住所 | | Residence | |
| | | Citizenship | |
| 野便の宛先 | | Post Office Address | |
| TV | | | |

| 第五の共同発明者の氏名 | | Full name of fifth joint inventor, if any | |
|-------------|----|---|------|
| 第五の共同発明者の署名 | 日付 | Fifth joint Inventor's signature | Date |
| 性所 In | | Residence | |
| 国 解 | | Citizenship | |
| 郵便の宛先 | | Post Office Address | |
| | | | |

| 第六の共同発明者の氏名 | | Full name of sixth joint inventor, if any |
|-------------|----|---|
| 第六の共同発明者の署名 | 日付 | Sixth joint Inventor's signature Date |
| 住所 | | Residence |
| 国籍 | | Citizenship |
| 郷便の宛先 | | Post Office Address |
| | | |

(第六またはそれ以降の共同発明者に対しても同様な情報および署名を提供すること。)

(Supply similar information and signature for third and subsequent joint inventors.)